

INTEC Engineering

Thermal sewage sludge drying and incineration



Innovative supply via utilisation

Use of internal energy (in the process)

Impressive **economy**

INTEC contact drying

INTEC solid material firing

Maximum energy efficiency

INTEC process heat generation

Modular plant concept Flexible plant design

Long-term safe disposal

Hygienisation and neutralisation of contaminants

Cost stability

Environmentally neutral emissions

High-quality ash-products

INTEC Energy Systems

Energy generation from residues and biomass

INTEC Engineering GmbH

is a dynamically growing group of companies doing business all over the world.

INTEC plans, designs, manufactures and supplies process heat generation plants.

INTEC offers its customers made-to-order plants with state-of-the-art technology. INTEC sets standards in the development and construction of process heat plants through state-of-the-art and efficient use of waste heat recovery boilers and thermal oil heaters.

INTEC develops innovative plant technologies for energy generation from biomass and residues, showing the way of the future.

INTEC stands for individual complete solutions:

INTEC advises, draws up plant concepts, produces and if required delivers turnkey solutions. All over the world. The production side - INTEC Rohrtechnik GmbH - is synonymous with the highest level of quality. Construction management, commissioning and maintenance are undertaken by experienced service engineers.



Sewage sludge - the new challenge

INTEC - Your partner for innovative complete solutions

In the future, the agricultural disposal of sewage sludge on fields will be prohibited throughout the EU. This is in response to increasing environmental pollution and the harm to people that is caused by bacteria, heavy metals and left-over pharmaceuticals.



The anticipated halt to using sewage sludge in agriculture and the prohibition of the dumping of sewage sludge under the technical directive covering domestic waste is aimed at completely removing the contaminant that is sewage sludge from the economic cycle. In addition to municipal sewage sludges, this also applies to residues from waste water purification, biogenic sludges, residual sludges and liquid waste from industrial processes. In all, this represents an extremely complex disposal challenge for local authorities, industry and disposal companies.

Economically and environmentally, thermal utilisation - incineration - is the only appropriate way of utilising sewage sludges and other problematic biomasses.

INTEC possesses the experience and the technologies for the innovative thermal treatment, disposal and economic use of biogenic, contaminated sludges and residues.

The INTEC concept

Thermal utilisation - efficient energy generation

The innovative disposal and utilisation concept is based on a combination of INTEC drying plants with solid fuel firing plants and process heat generation plants.


During the process, the complete plant that results from this combination does not release any environmentally harmful substances into the air or soil.

It is not necessary to purchase any energy or fuel in order to dry the sludges and wet residues or for their incineration. The energy released by the incineration is used to generate process heat for the drying process. In addition, the optional partial generation of electricity enables electricity costs to be further reduced.

INTEC

offers contact drying plants for drying, hygienising and increasing the calorific value of municipal and industrial sewage sludges, biogenic sludges, fermentation residues and wet fractions, oil sludges and aquatic sediments.

Many years of experience in building such plants have led to a proven and reliable process featuring essential advantages in comparison with other drying plant versions. By processing the starting biomasses to produce fuel that can be stored and that is suitable for the firing process the contact drying technologies in combination with the solid material firing plants expand the product range of INTEC in the field of solutions for a safe disposal of sewage sludges.




The greatest possible efficiency and economy are therefore achieved in the closed plant and process concept. The concept of modular plant components allows adaptations to future changes based on new requirements.

The storable ashes produced in the overall process are the only remaining disposal residual materials. Free of biogenic contaminants and with a high phosphate content, they are superbly well suited to industrial further processing in the fertiliser industry for example.

The Process

Intelligent, environmentally safe, economical



The delivered sewage sludges with an approximately 25% DS (dry substance content) are unloaded into bunkers with dosing technology. Pumps transfer the filter cake into the contact drying plant. Self-cleaning, heated and continuously counter-rotating shafts evaporate the water and overcome the adhesion phase of the sludges. The result: Volume and mass reduction to a new, grainier substance quality with 75 - 85% DS and hygienisation. (Stepless full and partial drying possible). The drying brings about an extreme increase in the calorific value and makes the material storable. The drying granulate is incinerated by the INTEC fluidized bed firing and step grate system. This ensures incineration temperatures of 850°C - 900°C, in accordance with German and international standards.

The heat obtained operates an INTEC thermal oil heater, which heats the INTEC contact drying plant in the closed heating circuit. To increase the incineration efficiency, the remaining waste heat is used to preheat the incineration air, and optionally also for power generation by a low-temperature turbine.

Flue gases are cleaned, heavy metals are bound and NO_x is removed by denitrification, so that only clean CO₂-neutral exhaust air enters the environment.



The extremely phosphate-rich ashes that remain from the firing and flue gas cleaning are free of biogenic residues and can be used for treatment and industrial further processing, for example in fertiliser production. Intelligent, environmentally safe, economical.

Sewage sludge disposal with INTEC

Customised plant design - maximum efficiency

The INTEC solid material firing plants combined with contact drying plants can be adapted to any volume requirement. The plant's modular design allows it to be extended and added to at any time as requirements change.


The advantages of the INTEC process make thermal sewage sludge disposal not just a future-proof utilisation method but one that is also future-orientated, biologically safe and environmentally friendly.



The advantages:

- Long-term safe disposal and cost stability
- Economical operation thanks to using the internal energy
- Maximum energy efficiency
- Long service life of the plant modules thanks to great experience potential and robust technology
- Neutralisation of contaminants, no environmental pollution
- Ash utilisation as an option for refinancing
- No soil pollution, CO₂-neutral, exhaust air low in contaminants
- Modular plant concept, flexible plant design
- Power generation by ORC or by steam turbines
- Removal of contaminants out of the economic cycle

INTEC - at home worldwide



INTEC Engineering GmbH

John-Deere-Str. 43
D-76646 Bruchsal, Germany
Phone: +49 7251 93 243 - 0
Fax: +49 7251 93 243 - 99
E-Mail: info@intec-energy.de

INTEC Rohrtechnik GmbH

John-Deere-Str. 41
D-76646 Bruchsal, Germany
Phone: +49 7251 36629-10
Fax: +49 7251 36629-25
E-Mail: rohrtechnik@intec-energy.de

INTEC Service GmbH

John-Deere-Str. 43
D-76646 Bruchsal, Germany
Phone: +49 7251 93 243-41
Fax: +49 7251 93 243-97
E-Mail: service@intec-energy.de

INTEC GMK GmbH

Lilienthalstr. 4
D-18211 Bargeshagen, Germany
Phone: +49 38203 775814
Fax: +49 38203 775820
E-Mail: info@gmk.info

INTEC Heating Solutions Pvt. Ltd.

The Empire Business Centre
Empire Industries Ltd.
414, Senapati Bapat Marg.
Lower Parel Mumbai - 400 013, India
Mobile: +91 9920438885
E-Mail: bharat.k@intec-energy.de

INTEC Thermal Energy, LLC

5665 Atlanta Hwy.
Suite 102B-225
Alpharetta, Ga. 30004
Phone: +1 770 9104232
E-Mail: sales@intecthermal.com

INTEC Energy Systems Sdn. Bhd.

6F-21, IOI Business Park,
Bandar Puchong Jaya,
47170 Puchong, Selangor, Malaysia
Phone: +603 5891 6642
Fax: +603 5879 9824
E-Mail: yap.fw@intec-energy.de

Your representative:

www.intec-energy.com

REV.05/NT1/05/2020

INTEC Products

- Thermal oil heaters
- Salt melt plants
- Steam and hot water boilers
- Waste heat boilers for thermal oil, steam and hot water
- Natural circulation boilers
- Steam generators
- Step grate and fluidized bed firing systems
- Biomass firing systems for power stations and plants
- Complete process heat and power generation systems
- Sewage sludge dryer and mono incineration facilities
- Modular ORC power generation

